


# CESTNÝ OBRUBNÍK


## Oblúkový

Pre kombináciu s cestným obrubníkom  
so skosením 12/4 cm



### Základné údaje




vonkajší polomer 0,5 m




vonkajší polomer 1,0 m




vonkajší polomer 2,0 m




vonkajší polomer 3,0 m



vonkajší polomer 4,0 m



vonkajší polomer 5,0 m



vonkajší polomer 8,0 m


	Rozmer (cm)	Vonkajší polomer (m)	Spotreba (ks/kruh)
1	78 × 15 (11) × 26	0,5	4
2	78 × 15 (11) × 26	1,0	8
3	78 × 15 (11) × 26	2,0	16
4	78 × 15 (11) × 26	3,0	24
5	78 × 15 (11) × 26	4,0	32
6	78 × 15 (11) × 26	5,0	40
7	78 × 15 (11) × 26	8,0	64


Poznámka: dĺžka vonkajšieho oblúku 78 cm

 Hladký povrch

**Vzor kladenia 01 (Do kruhu)**

Vonkajší polomer: 0,5 m až 8,0 m

**Príklad uloženia**

**Vzor kladenia 02 (Kombinácia s cestným obrubníkom so skosením 12/4 cm)****Príklad uloženia**